ELSEVIER

Chemical Engineering Journal 89 (2002) 263

Chemical Engineering Journal

www.elsevier.com/locate/cej

Author Index of Volume 89

Agranovski, I.E. 229
Albusairi, B. 173
Alves, S.S. 109
Arce, A. 223
Arrighi, L. 75

Baerns, M. 119
Barton, G.W. 37
Bounahmidi, T. 185
Braddock, R.D. 229
Busca, G. 75
Buyevskaya, O. 119

Chiang, S.-C. 253
Comiti, J. 29

Davidson, J.F. 127

Gallegos, C. 53
Glavič, P. 155
Gomes, V.G. 37
González, A. 101
Grabovska, L. 193
Grubert, G. 119
Guillon, E. 119

Hahndorf, I. 119
Harris, A.T. 127
Hilal, M. 29
Ho, C.-D. 253
Hsu, J.T. 173

Janssen, L.J.J. 193
Jarvis, D. 229
Jenkins, J.D. 1
Joodaki, M.R. 239
Jourani, A. 185

Kim, Y.H. 89
Koene, L. 193
Kolf, S. 119
Krichnavaruk, S. 203

Langpape, M. 119
Liu, J. 213
Liu, Y. 213

Lukey, G.C. 63

Maia, C.I. 109
Marchiaro, A. 223
Martínez-Boza, F. 53
Matsui, T. 143
Miglio, R. 75
Montillet, A. 29
Myojo, T. 229

Navarro, F.J. 53

Orduz, S. 101

Panizza, M. 75
Partal, P. 53
Pavasant, P. 203

Resini, C. 75
Restrepo, A. 101
Rieger, F. 47
Rodríguez, O. 223
Romagnoli, J.A. 37
Rossini, S. 75
Rostami, Kh. 239

Sechi, S. 75
Seguin, D. 29
Serralheiro, A.J. 109
Sobočan, G. 155
Soto, A. 223
Spoor, P.B. 193

ter Veen, W.R. 193
Thorpe, R.B. 127
Toikka, A.M. 1

Valencia, C. 53
van Deventer, J.S.J. 63
van Jaarsveld, J.G.S. 63
Vasconcelos, J.M.T. 109

Zeaiter, J. 37
Zhang, T. 213
Zheng, H. 213

PII: S1385-8947(02)00242-5

ELSEVIER

Chemical Engineering Journal 89 (2002) 265–267

Chemical Engineering Journal

www.elsevier.com/locate/cej

Subject Index of Volume 89

Aerated stirred tanks
Bubble size in aerated stirred tanks, 109
Aerosols
Inclined wettable filter for mist purification, 229
Air filter
Inclined wettable filter for mist purification, 229
Air purification
Inclined wettable filter for mist purification, 229
Airlift contactor
Analysis of gas–liquid mass transfer in an airlift contactor with perforated plates, 203
Aluminosilicate
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63
Automated preparation
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119

Bitumen
Rheological characteristics of ground tire rubber-modified bitumens, 53
Bubble size
Bubble size in aerated stirred tanks, 109

Cadmium removal
Some studies of cadmium adsorption using *Aspergillus niger*, *Penicillium austurianum*, employing an airlift fermenter, 239
Calorimetry
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
Catalyst
A study of the reaction pathway upon propane oxidation over V–K/Al_2O_3 catalysts, 75
Catalytic combustion
Preparation of high surface area $La_{1-x}A_xMnO_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213
Catalytic materials
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
Cinétique
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
Circulating fluidised bed
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
Correlation
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
Creeping flow
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
Croissance cristalline
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185

Crumb rubber
Rheological characteristics of ground tire rubber-modified bitumens, 53

Deionisation
Pilot scale deionisation of a galvanic nickel solution using a hybrid ion-exchange/electrodialysis system, 193
Diffusion
Application of shape factor to determine the permeability of perfusive particles, 173
Distillation columns sequence
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
Double-pass operation
A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, 253

Emulsion polymerisation
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
Experimental method
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
Extended Petlyuk column
Rigorous design of extended fully thermally coupled distillation columns, 89
External refluxes
A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, 253

Filter clogging
Inclined wettable filter for mist purification, 229
Fluid mechanics
Application of shape factor to determine the permeability of perfusive particles, 173
Fungi
Some studies of cadmium adsorption using *Aspergillus niger*, *Penicillium austurianum*, employing an airlift fermenter, 239

Gas–liquid mass transfer
Bubble size in aerated stirred tanks, 109
Analysis of gas–liquid mass transfer in an airlift contactor with perforated plates, 203
Geopolymer
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63

Heat integration
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
Heavy metal
Some studies of cadmium adsorption using *Aspergillus niger*, *Penicillium austurianum*, employing an airlift fermenter, 239

PII: S1385-8947(02)00243-7

High-throughput synthesis and screening
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119

Inorganic polymer
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63
Integrability criterion
A simple method for systematic synthesis of thermally integrated distillation sequences, 155

Kinetics
Kinetic model of one-part curing system with moving boundary conditions, 143

Limonene
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
Linalool
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223
LLE
Liquid–liquid equilibria of limonene + linalool + diethylene glycol system at different temperatures, 223

Mass exchangers
A theoretical study of the improvement in performance of double-pass mass exchangers with external refluxes separated by an idealized permeable barrier, 253
Mass transfer
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
Kinetic model of one-part curing system with moving boundary conditions, 143
Application of shape factor to determine the permeability of perfusive particles, 173
Mathematical modeling
Kinetic model of one-part curing system with moving boundary conditions, 143
Methane oxidation
Preparation of high surface area $La_{1-x}A_xMnO_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213
Minimum flow computation
Rigorous design of extended fully thermally coupled distillation columns, 89
Mist removal
Inclined wettable filter for mist purification, 229
Moisture curable sealant
Kinetic model of one-part curing system with moving boundary conditions, 143
Moving boundary conditions
Kinetic model of one-part curing system with moving boundary conditions, 143
Multicomponent mixtures
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1

Nickel
Pilot scale deionisation of a galvanic nickel solution using a hybrid ion-exchange/electrodialysis system, 193
Non-Newtonian fluid
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
Nucléation hétérogène
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185

One-part curing system
Kinetic model of one-part curing system with moving boundary conditions, 143
On–off values
Cost effective control strategy for small applications and pilot plants: on–off valves with temporized PID controller, 101
Optimal control
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
Oxidation
A study of the reaction pathway upon propane oxidation over V–K/Al_2O_3 catalysts, 75
Oxidative dehydrogenation
A study of the reaction pathway upon propane oxidation over V–K/Al_2O_3 catalysts, 75
Oxidative dehydrogenation of ethane
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119

Packed beds
Modelling of power law liquid–solid mass transfer in packed beds at Darcy regime, 29
Parallel testing
Experimental equipment for high-throughput synthesis and testing of catalytic materials, 119
Particle
Application of shape factor to determine the permeability of perfusive particles, 173
Particle residence time distribution
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
Perforated plate
Analysis of gas–liquid mass transfer in an airlift contactor with perforated plates, 203
Perovskite-type oxides
Preparation of high surface area $La_{1-x}A_xMnO_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213
Phase diagrams
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1
Phosphates de calcium
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
Pilot plants
Cost effective control strategy for small applications and pilot plants: on–off valves with temporized PID controller, 101
Pilot scale
Pilot scale deionisation of a galvanic nickel solution using a hybrid ion-exchange/electrodialysis system, 193
Polystyrene
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
Porous media
Application of shape factor to determine the permeability of perfusive particles, 173
Précipitation
Cinétique de nucléation hétérogène et de croissance cristalline de l'hydroxyapatite lors de la précipitation spontanée des phosphates de calcium dans des solutions sucrées, 185
Process synthesis
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
Propane
A study of the reaction pathway upon propane oxidation over V–K/Al_2O_3 catalysts, 75

Propene
A study of the reaction pathway upon propane oxidation over V–K/Al_2O_3 catalysts, 75
Pseudo-steady-state
Kinetic model of one-part curing system with moving boundary conditions, 143
Pumping efficiency
Pumping efficiency of screw agitators in a tube, 47

RTD
A novel method for measuring the residence time distribution in short time scale particulate systems, 127

Screw agitator
Pumping efficiency of screw agitators in a tube, 47
Separation systems
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
Shape factor
Application of shape factor to determine the permeability of perfusive particles, 173
Short time scale system
A novel method for measuring the residence time distribution in short time scale particulate systems, 127
Soft-sensor
Inferential conversion monitoring and control in emulsion polymerisation through calorimetric measurements, 37
Span of temperatures
A simple method for systematic synthesis of thermally integrated distillation sequences, 155
Stability conditions
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1
Structural design
Rigorous design of extended fully thermally coupled distillation columns, 89

Temporized PID controller
Cost effective control strategy for small applications and pilot plants: on–off valves with temporized PID controller, 101
Thermally coupled distillation
Rigorous design of extended fully thermally coupled distillation columns, 89
Thermodynamic efficiency
Rigorous design of extended fully thermally coupled distillation columns, 89
Thermodynamic inequalities
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1

Ultra-fine particles
Preparation of high surface area $La_{1-x}A_xMnO_3$ (A = Ba, Sr or Ca) ultra-fine particles used for CH_4 oxidation, 213

Vanadium oxide catalysts
A study of the reaction pathway upon propane oxidation over V–K/Al_2O_3 catalysts, 75
Vapour–liquid equilibrium
Conditions of thermodynamic equilibrium and stability as a basis for the practical calculation of vapour–liquid equilibria, 1
Viscoelastic behaviour
Rheological characteristics of ground tire rubber-modified bitumens, 53

Waste materials
The effect of composition and temperature on the properties of fly ash- and kaolinite-based geopolymers, 63
Wettability
Inclined wettable filter for mist purification, 229